



## A1: Specifications

Coffee specialities	
Coffee specialties	1 coffee 1 espresso 1 ristretto
Additional preground coffee powder	Yes
No. of individually programmable specialities	3
Technologies	
Pulse Extraction Process (P.E.P.®)	Yes
Variable brewing chamber	6 - 10 g
Intelligent Pre-Brew Aroma System (I.P.B.A.S.®)	Yes
Grinder type	Aroma <sup>G3</sup> grinder
Number of grinders	1
Monitored aroma preservation cover	Yes
Powder recognition for additional ground coffee variety	Yes
Thermoblock heating system	1
Intelligent preheating	Yes
High-performance pump, 15 bar	15 bar
Monitored drip tray	Yes
Settings and programming options	
Programmable amount of water	Yes
Programmable coffee strength in levels	2

Coffee strength can be adjusted for each preparation	Yes
--	-----

## Operations

Display	Symbol display
---------	----------------

## Sustainability

Energy Save Mode (E.S.M.®)	Yes
----------------------------	-----

Programmable switch-off time	Yes
------------------------------	-----

Power switch	Zero-Energy Switch
--------------	--------------------

## Perfect maintenance at the touch of a button

Filter cartridge	CLARIS Blue
------------------	-------------

Integrated rinsing, cleaning and descaling programme	Yes
--	-----

Adjustable water hardness	Yes
---------------------------	-----

JURA hygiene: TÜV-certified	Yes
-----------------------------	-----

## Spouts

Height-adjustable coffee spout	58 - 141 mm
--------------------------------	-------------

## Design and materials

Powder chute for ground coffee	Yes
--------------------------------	-----

## In figures

Water tank capacity	1.1 L
---------------------	-------

Numbers of bean containers	1
----------------------------	---

Capacity per bean container	125 g
-----------------------------	-------

Coffee grounds container (max. servings)	9
--	---

Cable length	1.1 m
Voltage	230 alternating current
Ampacity	10 amp
Frequency	50 hz
Power	1450 Watt
Energy consumption with E.S.M.®	4 watt-hour
Weight	9.2 kg
Width	23.9 cm
Height	32.3 cm
Depth	44.5 cm
Energy efficiency CH	40 kw per h.
Article Number	15133